# This Page Is Inserted by IFW Operations and is not a part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

## **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>3</sup> :	A1	(11) I	nternational Publication Number:	WO 85/ 02543
A61K 31/56		(43) I	nternational Publication Date:	20 June 1985 (20.06.85)
(21) International Application Number: PCT/US (22) International Filing Date: 30 November 1984	-	1	74) Agents: HANDELMAN, Jose Parry, 26 West 61 Street, New	eph, H. et al.; Ladas & York, NY 10023 (US).
(31) Priority Application Number: (32) Priority Date: 12 December 1983	560,7 (12.12.8	26	B1) Designated States: AU, CH (European patent), DK, FR (European patent), JP, NL ( SE (European patent).	(European patent), GB
(33) Priority Country:  (71)(72) Applicant and Inventor: KASZYNSKI, E [US/US]; 12928 Dean Road, Wheaton, M (US).	dwin,	G.	ublished With international search repo	ort.
(72) Inventors: BREUER, Miklos, M.; 108 Ridge Newton, MA 02159 (US). SHANDER, Do Meadowgrass Court, Gaithersburg, MD 20: USDIN, Vera, R.; 6 Stevens Court, Rock 20850 (US). VAN DER LEE, Hermes; 13 dridge Road, Silver Spring, MD 20906 (US)	uglas 878 (U ville, M 8129 H	5). D		

### (54) Title: HAIR GROWTH MODIFICATION

### (57) Abstract

The rate and character of androgen-stimulated beard hair growth in intact, sexually mature male is altered by the topical application out of a dermatologically acceptable carrier of an antiandrogen material. In a preferred practice of the invention, compositions containing both a steroid 5-alpha-reductase inhibitor and a cytoplasmic androgen receptor-binding agent are employed.

## CLAIMS

- character of androgen-stimulated hair growth, which comprises at least one antiandrogen agent consisting of a 5-alphareductase inhibitor or a cytoplasmic androgen receptor-binding agent or a mixture thereof, and a dermatologically acceptable carrier, the formulation of said carrier and the concentration of said antiandrogen agent being selected to effectively alter the rate and character of androgen-stimulated beard hair growth in intact, sexually mature males upon application to the skin and to provide a local effect with minimal alteration of other androgen-mediated bodily functions through systemic action.
- 2. A composition as described in claim 1, in which the 5-alpha-reductase inhibitor is progesterone;  $(5\alpha,20-R)-4-$  diazo-21-hydroxy-20-methyl pregnan-3-one; (4R)-5-10-seco-19- Norpregna-4,5-diene-3,10,20 trione; 4-androstene-3-one-176-carboxylic acid, or its methyl ester;  $17-\beta-N$ , N-diethylcarbamoyl-9-methyl-4-aza-5 $\alpha$ -androstane3-one;  $11-\alpha-OH$ -progesterone;  $17-\alpha-OH$ -progesterone; or  $20-\alpha-OH$ -progesterone.
- 3. A composition as described in claim 2, wherein the concentration of said antiandrogen agent is selected to result in the application of from about 10 to about 10,000 micrograms of 5-alpha-reductase inhibitor per square centimeter of skin.
- 4. A composition as described in claim 2, wherein the concentration of said antiandrogen agent is selected to result in the application of from about 100 to about 1,000 micrograms of 5-alpha-reductase inhibitor per square centimeter of skin.
- A composition as described in claim 1, in which the cytoplasmic androgen receptor-binding agent is cyproterone acetate, chlormadinone acetate, 17-alpha-propyltestosterone; 17-alpha-allyltestosterone; α-α-α-trifluoro-2-methyl-4'-nitro-m-propionotoluidide; 6α-bromo-17β-hydroxy-17α-methyl-4-oxa-5α-androstane-3-one; 17β-acetoxy-4α,5cyclo-A-homo-B-nor-5α-androst-1-ene-3one; or spironolactone.



ş

- A composition as described in claim 5, wherein the concentration of said antiandrogen agent is selected to result in the application of from about 0.1 to about 5,000 micrograms of the cytoplasmic androgen receptor-binding agent per square centimeter of skin.
- 7. A composition as described in claim 5, wherein the concentration of said antiandrogen agent is selected to result in the application of from about 1.0 to 500 micrograms of cytoplasmic androgen receptor-binding agent per square centimeter of skin.
- 8. A composition as described in any one of the preceding claims, in which a 5-alpha-reductase inhibitor is used along with a cyctoplasmic androgen receptor-binding agent.
- 9. A topical composition for altering the rate and character of androgen-stimulated hair growth, comprising a 5-alpha-reductase inhibitor consisting of progesterone or 4-androstene-3-one-17 \$\text{\text{\$Carboxylic}}\$ acid and a cytoplasmic androgen receptor-binding agent consisting of 17-alpha-propyltestosterone or 17-alpha-allyltestosterone, said 5-alpha-reductase inhibitor and said cytoplasmic androgen receptor-binding agent being formulated in a dermatologically acceptable carrier, the concentrations of said 5-alpha-reductase inhibitor and said cytoplasmic androgen receptor-binding agent each being from about 0.1% to about 10.0% by weight of the composition.
- 10. A composition as described in claim 9, in which the concentration of said 5-alpha-reductase inhibitor is from about 0.5 to about 5.0% by weight of the composition and in which the concentration of said cytoplasmic androgen receptor-binding agent is from about 0.02 to about 0.5% by weight of the composition.
- 11. A process for altering the rate and character of androgen-stimulated beard hair growth in intact, sexually mature males, which comprises applying to the skin a composition according to any one of the preceding claims.
- 12. The use of a composition according to any one of the preceding claims 1 to 10, to alter the rate and character



-14-

of androgen-stimulated beard hair growth in intact, sexually mature males.

BUREAU OMPI WIPO WIPO

#### INTERNATIONAL SEARCH REPORT

International Application No.

ECT/US 8 4 / 0 1 9 7 7

1. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) =  According to international Patent Classification (IPC) or to both National Classification and IPC					
IL FIEL	DS SEARCHED		•		
Minimum Documentation Searched 4					
Classification System Classification Symbols					
<b>U.</b>	S. 424/240	·			
Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched *  (1) CAS-On line computerize Search (2) Mead-Lexis computerize Search					
Category '	Citation of Document, 16 with indication, where a	ppropriate, of the relevant passages 17	Relevant to Claim No. 18		
X	US,A4,098,802 published by van der Vies	July 4, 1978	1-10		
X	US,A,4,310,523 published by Friedmund Neumann	Jan. 12, 1982	1-10		
X	US,A,4,039,669 published by Beyler et al	Aug. 2, 1977	1-10		
Y	US,A,4,269,831 published by Ferrari et al.	May 26, 1981	1-13		
P,Y	US,A,4,439,432 published by rest	Mar. 27,1984	1-13		
		·			
"A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed  "Y" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the cited to understand the pri					
	a Actual Completion of the International Search 3	Date of Mailing of this International Se	arch Report <sup>2</sup>		
06 550					
3/12/03			<i></i>		
	ISAIUS.	Signature of Authorition princers	ut		